- Independent Testing – For End User Confidence



CLASSIFICATION OF REACTION TO FIRE FOR ELECTRIC CABLES IN ACCORDANCE WITH EN 13501-6

of

JIAXING HAITANG ELECTRONICS CO., LTD

Cable identification:

F/UTP Cat. 5e PVC Copper cable

Prepared by Jens Rytter Petersen

Project No. 1164613

2016.10.12



| Table of contents | | Page | |
|-------------------|--|------|--|
| 1 | Identification | 3 | |
| 2 | Details of classified products | 4 | |
| | 2.1 General | 4 | |
| | 2.2 Product description | 4 | |
| 3 | Reports and results in support of this classifications | 5 | |
| | 3.1 Reports | 5 | |
| | 3.2 Results | 6 | |
| 4 | Classification and field of application | 7 | |
| | 4.1 Reference of classifications | 7 | |
| | 4.2 Classification | 7 | |
| | 4.3 Field of application | 8 | |
| 5 | Limitations | 9 | |

1 Identification

| Sponsor: | JIAXING HAITANG ELECTRONICS CO., LTD 1 st Jinggong Rd, Yandong Village, Wuyuan Town, Haiyan , Zhejiang China | | | | |
|---|--|--|--|--|--|
| | Quentin Tan quentin.tan@scscable.com | | | | |
| Prepared by: | 3P Third Party Testing Agern Allé 3 DK-2970 Hoersholm Denmark | Email: 3Ptest@3Ptest.dk Phone: + 45 45572200 Fax: + 45 45765708 Homepage: <u>http://www.3Ptest.dk</u> | | | |
| CDD Notified Dody No. | | | | | |
| CPR Notified Body No.: | NB 2652 | | | | |
| DANAK Reg. No.: | NB 2652 0473 | | | | |
| , second s | | cable | | | |
| DANAK Reg. No.: | 0473 F/UTP Cat. 5e PVC Copper | cable 24AWG 38/16 S 0451M – MADE | | | |
| DANAK Reg. No.: Product name: | 0473 F/UTP Cat. 5e PVC Copper CAT 6A U/UTP L 4 PAIRS | | | | |
| DANAK Reg. No.: Product name: Product Marking | 0473 F/UTP Cat. 5e PVC Copper CAT 6A U/UTP L 4 PAIRS IN CHINA - | | | | |

This classification report consists of nine pages and may only be used or reproduced in its entirety.

2 Details of classified products

2.1 General

The product, F/UTP Cat. 5e PVC Copper cable, is defined as a copper communication cable according to EN 50575.

2.2 Product description

The product F/UTP Cat. 5e PVC Copper cable, is described below or is described in the reports provided in support of classifications listed in 3.1.

Product descriptions

F/UTP Cat. 5e PVC Copper cable.

3 Reports and results in support of this classifications

3.1 Reports

| Name of Laboratory | Name of sponsor | Report ref. No. | Test method and date/field of applications rules and date |
|-----------------------|---|---------------------|--|
| 3P | JIAXING HAITANG ELECTRONICS CO., LTD | Report no. 1164613A | EN 60332-1-2 |

3.2 Results

| Test method | | | Resu | Compliance | |
|--|----------------|--------------|--------------------------------|----------------------------------|--|
| and test number | Parameter | No. Tests | Continuous parameter – mean | Compliance with parameters | |
| EN 60332-1-2 Report no. 1164613A | $H \le 425 mm$ | 1 | 105 mm | Compliant | |

4 Classification and field of application

4.1 Reference of classifications

This classification has been carried out in accordance with EN 13501-6

4.2 Classification

The product, F/UTP Cat. 5e PVC Copper cable, in its relations to reaction to fire behaviour is classified:

 A_{ca} to F_{ca} (as applicable)

The additional classification in relation to smoke production is:

s1, s1a, s1b, s2, s3, (as applicable)

The additional classification in relation to flaming droplets / particles is:

d0, d1, d2, (as applicable)

The additional classification in relation to acidity is:

a1, a2, a3, (as applicable)

The format of the reactions to fire classification for electric cables is:

| Fire behaviour | | Smoke production | | Flaming droplets | | Acidity |
|-------------------|---|------------------|---|------------------|---|---------|
| E _{ca} | , | | , | | , | |

4.3 Field of application

This classification is valid for the following product parameters as determined in the extended applications process CLC/FprTS 50576.

| Product family: F/UTP Cat. 5e PVC Copper cable | | | |
|--|---|--|--|
| Cable Identification: | Product parameter variations | | |
| 5EFU-001-101-PC 5EFU-001-201-PC 5EFU-001-301-PC 5EFU-001-135-PC 5EFU-001-235-PC 5EFU-001-335-PC 5EFU-001-110-PC 5EFU-001-210-PC | Different colour, length and packing form | | |

5 Limitations

This classification document does not represent type approval or certifications of the product.

Include the following statement to the report when the product is being CE marked under the attestations of conformity system 3.

"The classification assigned to the product in this report is appropriate to a declaration of conformity by the manufacture within the context of system 3 attestation of conformity and CE marking under the Construction Product Regulation.

The test laboratory has therefore, played no part in sampling the product for the test, although it holds appropriate references, supplied by the manufacturer, to provide for traceability of the samples tested."

Hoersholm, 12th October 2016

Jens Rytter Petersen Undertaking classification

Hoersholm, 12th October 2016

Morten Cam

Morten Dam Authorizing this report