

**CLASSIFICATION OF REACTION TO FIRE
FOR ELECTRIC CABLES
IN ACCORDANCE WITH EN 13501-6**

of

JIAXING HAITANG ELECTRONICS CO., LTD

Cable identification:

U/UTP Cat. 6 LSHF Copper cable

Prepared by Jens Rytter Petersen

Project No. 1164610

2016.10.12



Table of contents	Page
1 Identification	3
2 Details of classified products	4
2.1 General	4
2.2 Product description	4
3 Reports and results in support of this classifications	5
3.1 Reports	5
3.2 Results	6
4 Classification and field of application	7
4.1 Reference of classifications	7
4.2 Classification	7
4.3 Field of application	8
5 Limitations	9

1 Identification

Sponsor: JIAXING HAITANG ELECTRONICS CO., LTD
1st Jinggong Rd,
Yandong Village,
Wuyuan Town,
Haiyan , Zhejiang
China

Quentin Tan
quentin.tan@scscable.com

Prepared by: 3P Third Party Testing Email: 3Ptest@3Ptest.dk
Agern Allé 3 Phone: + 45 45572200
DK-2970 Hoersholm Fax: + 45 45765708
Denmark Homepage: <http://www.3Ptest.dk>

CPR Notified Body No.: **NB 2652**

DANAK Reg. No.: **0473**

Product name: U/UTP Cat. 6 LSHF Copper cable

Product Marking HT U/UTP Cat6 LSZH 181M

Classifications report No.: 1164610

Issue number: 1

Date of issue: 2016.10.12

This classification report consists of nine pages and may only be used or reproduced in its entirety.

2 Details of classified products

2.1 General

The product, U/UTP Cat. 6 LSHF Copper cable, is defined as a copper communication cable according to EN 50575.

2.2 Product description

The product U/UTP Cat. 6 LSHF Copper cable, is described below or is described in the reports provided in support of classifications listed in 3.1.

Product descriptions
U/UTP Cat. 6 LSHF Copper cable.

3 Reports and results in support of this classifications

3.1 Reports

Name of Laboratory	Name of sponsor	Report ref. No.	Test method and date/field of applications rules and date
3P	JIAXING HAITANG ELECTRONICS CO., LTD	Report no. 1164610A	EN 60332-1-2

3.2 Results

Test method and test number	Parameter	No. Tests	Results	
			Continuous parameter – mean	Compliance with parameters
EN 60332-1-2 Report no. 1164610A	$H \leq 425$ mm	1	125 mm	Compliant

4 Classification and field of application

4.1 Reference of classifications

This classification has been carried out in accordance with EN 13501-6

4.2 Classification

The product, U/UTP Cat. 6 LSHF Copper cable, in its relations to reaction to fire behaviour is classified:

A_{ca} to F_{ca} (as applicable)

The additional classification in relation to smoke production is:

s1, s1a, s1b, s2, s3, (as applicable)

The additional classification in relation to flaming droplets / particles is:

d0, d1, d2, (as applicable)

The additional classification in relation to acidity is:

a1, a2, a3, (as applicable)

The format of the reactions to fire classification for electric cables is:

Fire behaviour		Smoke production		Flaming droplets		Acidity
E _{ca}	,		,		,	

4.3 Field of application

This classification is valid for the following product parameters as determined in the extended applications process CLC/FprTS 50576.

Product family: U/UTP Cat. 6 LSHF Copper cable	
Cable Identification:	Product parameter variations
C6UU-001-101-NH C6UU-001-201-NH C6UU-001-301-NH C6UU-001-135-NH C6UU-001-235-NH C6UU-001-335-NH C6UU-001-110-NH C6UU-001-210-NH C6UU-001-310-NH	Different colour, length and packing form

5 Limitations

This classification document does not represent type approval or certifications of the product.

Include the following statement to the report when the product is being CE marked under the attestations of conformity system 3.

“The classification assigned to the product in this report is appropriate to a declaration of conformity by the manufacture within the context of system 3 attestation of conformity and CE marking under the Construction Product Regulation.

The test laboratory has therefore, played no part in sampling the product for the test, although it holds appropriate references, supplied by the manufacturer, to provide for traceability of the samples tested.”

Hoersholm, 12th October 2016



Jens Rytter Petersen
Undertaking classification

Hoersholm, 12th October 2016



Morten Dam
Authorizing this report